intomotive Moldinge



Formed End Tips









Body Side Moldings

Truck **Moldings**

L-Style Edge Moldings

Die-Cut Tips

Door Edge Moldings

Truck Wheel **Well Moldings**

Wheel Well Moldings

> **Drip Rail** Moldings

Step Treads Rocker Panel Trims

Acrylic Foam Tape

For super attachment of trim and moldings

- OEM preferred performance
- · Instant adhesion to basecoat/clearcoat paints
- · Field-proven reliability

Established

9001:2008













20000CI SERIES — Chrome Insert Colors available Packaged in a four-piece kit

Colors available





BT000 SERIES Color Group: "B" High Gloss Packaged in two 8 ft. lengths with formed tips on all ends



12500DC SERIES Colors available



14000BT SERIES Color Group "B" and "C" Packaged in two 7 ft. lengths with formed tips on all ends



15000AT SERIES
Color Group "C" and "D"
Packaged in two 7 ft. lengths with formed tips on all ends




20000AT SERIES Colors: 040, 070, 1F7, 1G3, 202, 3L5, 3R3, 4T8, 8S6, 8T7, 99 Packaged in two 7 ft. lengths with formed tips on all ends









DT03 SERIES Colors: 02, 84 Packaged in four 49 inch lengths with formed tip on one end of each piece














capped O.E. style moldings provides a choice you've never had before. We've capped our chrome with a thick, tough, layer of crystal clear vinyl, giving 20 times more protection to the chrome finish, making these moldings more durable than ever and actually improving the look of the chrome by imparting a deep rich glow, not possible before.

CMV01 - All Chrome

CMV02 - Black

EP02WC - Black & Chrome EP02NT - Black 1" (2.54 cm)



SS02 - Black 2" (5.08 cm)

STNL Series - Black 2" (5.08cm) – 7" (17.78 cm)

STWL Series – Black 3" (7.62 cm) - 6" (15.24 cm)

VM Series - Black 31/2" (8.89 cm), 41/2" (11.43 cm)

FST02 - Black 4 1/2" (11.43 cm)

ST02NT - Black • ST02WC - Black & Chrome

5" (12.7 cm)

SLE50NT - Black • SLE50WC - Black & Chrome 5" (12.7 cm)

W4002 - Black • W4014 - Silver

STB500 - Black 5" (12.7 cm)

N4002 - Black • N4014 - Silver



- 3" trim roller is designed to apply pressure to trim during installation.
- TG Prep is formulated to thoroughly clean the surface before applying trim with adhesive.
- 3M[™] Adhesive Promoter Pad.
- 4" trim cutters are designed to cut wider trim with one precise cut. Replacement blades and anvils are available.
- 1 1/4" trim cutters are designed to cut narrow width trim.
- Adhesive removal disc.

TRIM-GARD WARRANTY

Trim-Gard Company Limited products are warranted to be free of defect(s) in material and workmanship for 12 months from the date of manufacturing. Chrome molding(s) with top cap must have all cut ends sealed with TG End Sealer to maximize weatherability and validate warranty. The material must be applied as per instruction. Any material deemed defective by the manufacturer will be replaced on a one-forone footage basis upon proper authorization and presentation of the defective material. No labor costs will be honored. The manufacturer accepts no responsibility for any damage resulting from installation or removal of a molding(s). Customer must determine suitability and fit for each application.

AUTHORIZED DISTRIBUTOR



Trim-Gard Company Limited 472 Newbold Street London, Ontario, Canada N6E 1K6 Tel: 519.681.1090 • 1.800.265.6074 Fax: 519.681.9880

Website: www.trim-gard.com Email: info@trim-gard.com sales@trim-gard.com